

■ GEBERIT

150
YEARS
OF TOMORROW

IT'S BEYOND
THE DESIGN,
**DISCOVER GEBERIT
CERAMICS**

DESIGN
MEETS
FUNCTION

CONTENT

DESIGN MEETS FUNCTION	04
THE COMPLETE WC SYSTEM	06
GEBERIT WC CERAMICS	08
GEBERIT ONE	10
GEBERIT ACANTO	14
GEBERIT ICON	18
GEBERIT SMYLE	22
GOOD REASONS FOR GEBERIT CERAMICS	26
GEBERIT WB CERAMICS	28
GEBERIT ONE	30
GEBERIT SMYLE	32
GEBERIT VARIFORM	34
GEBERIT SIGMA ACTUATOR PLATES	36
GEBERIT CERAMIC OVERVIEW WITH SPECIFICATIONS	39



THE PERFECT BALANCE

DESIGN MEETS FUNCTION

We use our passion for design and technology to inspire and excite people all over the world. By applying our vast know-how and 150 years of experience, we ensure our products are not just beautiful to look at, but truly make life easier and more comfortable.

Responsibly made from fine and durable materials, Geberit products are a perfect balance of elegant design and outstanding function. They are easy to clean, easy to use and increase comfort.

DESIGN
MEETS
FUNCTION

Design Meets Function is the name given to this fusion of outstanding functionality with aesthetic design for the entire bathroom.

THE COMPLETE WC SYSTEM

IT JUST BELONGS TOGETHER

At Geberit, sanitary technology and bathroom design go hand in hand. The Geberit WC system comprises the Geberit cistern, actuator plates, and Geberit WC ceramic appliance, delivering exceptional flush performance that convinces in every aspect—both aesthetically and functionally.

FUNCTIONS YOU CAN RELY ON

The hydraulics of the flush technology and ceramic appliance are optimally coordinated with each other. This results in up to 10 times better flush performance and reliable functionality for many years.

DESIGN THAT ENHANCES ANY BATHROOM

Geberit offers elegant toilets with concealed fastening, WC ceramic appliances featuring Turboflush technology, matching seats, and a wide variety of actuator plate designs to choose from.

INSTALLATION TECHNOLOGY THAT PAYS OFF

Thanks to Geberit's sophisticated installation technology, toilets can be installed up to 40 per cent faster than when using conventional methods. This not only saves time, but also money.





WCs

Discover the many ways in which modern WCs can improve your everyday life. Geberit WCs offer a wealth of solutions catering to individual comfort preferences.



GEBERIT ONE

WHEN DESIGN AND FUNCTION BECOME ONE

CLEANLINESS AND INTEGRATED FLEXIBILITY

The wall-hung Geberit ONE WC is an elegant and perfectly proportioned appliance. It becomes obvious when you open the lid: an asymmetrical, completely rimless inner geometry ensures that the flush on the WC ceramic appliance is fantastic while being no louder than a whisper. Thanks to sophisticated installation technology, the height of the WC can be easily adjusted without needing to open the prewall, even years after the toilet was originally installed.

ACTUATOR PLATE
Geberit actuator plate
Sigma50



Height adjustment



TurboFlush technology



Flush volume



QuickRelease



WC seat with soft closing mechanism



Hidden wall mounting



Ground clearance



TurboFlush

KeraTect®

GEBERIT ONE WC

WITH TURBOFLUSH TECHNOLOGY

TURBOFLUSH TECHNOLOGY

The asymmetrical geometry of the ceramic appliance and lateral water inlet results in a unique flushing - out performance. The technology is much more effective than a normal flush, being both quieter and more efficient.



KERATECT

The extra-smooth special glaze KeraTect® prevents dirt and limescale from sticking to the surface. This makes cleaning noticeably easier.



HEIGHT ADJUSTMENT

Thanks to the sophisticated installation technology, the height of the ceramic appliance can be flexibly adjusted in the range of +3/ -1 cm without needing to open up or damage the wall – even years after being installed.



QUICKRELEASE

The WC lid and seat can be removed by pulling them upwards after raising them, making cleaning easier.








GEBERIT ACANTO

CLEAR LINES, INDIVIDUAL DETAILS

The Geberit Acanto combines clear design with organic shapes and offers smart solutions that meet diverse requirements and design preferences. The modular nature of Acanto allows it to adapt to the individuality of your lifestyle, providing versatile options to suit your needs.



ACTUATOR PLATE
Geberit actuator plate
Sigma70

-  TurboFlush technology
-  Flush volume
-  QuickRelease
-  WC seat with soft closing mechanism
-  Hidden wall mounting
-  Ground clearance

TurboFlush

KeraTect®

GEBERIT ACANTO WC

WITH TURBOFLUSH TECHNOLOGY

TURBOFLUSH TECHNOLOGY

The Geberit Acanto WC ceramic appliance has a new asymmetrical inner geometry. A hydraulically optimised flush inlet and guiding edges control the flow of water in the toilet with outstanding precision. The result is a very quiet yet extremely thorough flush across the entire bowl.



KERATECT

The extra-smooth special glaze KeraTect® prevents dirt and limescale from sticking to the surface. This makes cleaning noticeably easier.



QUICKRELEASE

The WC lid and seat can be removed by pulling them upwards after raising them, making cleaning easier.





GEBERIT ICON

SIMPLE APPEARANCE, FLEXIBILITY IN BATHROOM DESIGN

Linear design, clear lines, and remarkable flexibility define the essence of the Geberit iCon. Space-saving models offer freedom of movement in small bathrooms, providing maximum design flexibility and standing out for their impressive versatility. Perfect for individuals who are equally multifaceted.



ACTUATOR PLATE
Geberit actuator plate Sigma21

-  Rimfree technology
-  Flush volume
-  QuickRelease
-  WC seat with soft closing mechanism
-  Hidden wall mounting
-  Ground clearance

Rimfree

GEBERIT ICON WC

WITH RIMFREE® FLUSH TECHNOLOGY

RIMFREE

An optimized Rimfree® flush technology with flush guide ensures completely dynamic flushing out and reduces the amount of cleaning involved – even with the partial flush, making the rounded wall-hung WC completely clean.



SOFT CLOSE

A practical, quiet soft-closing mechanism for the WC seat. The lid always closes slowly, even when given an occasional added push. This results in reduced material wear and ensures it can remain in use for longer.



QUICKRELEASE

The WC lid and seat can be removed by pulling them upwards after raising them, making cleaning easier.



GEBERIT SMYLE

SUBTLE SHAPES, **MAXIMUM FUNCTION**

With its contemporary design and intricate lines, the Geberit Smyle cultivates a relaxing and positive bathroom ambiance. Through its clear sense of order and efficient use of space, the Geberit Smyle achieves the utmost convenience in the bathroom, regardless of the structural situation.



ACTUATOR PLATE
Geberit actuator plate Sigma30



Rimfree technology



Flush volume



QuickRelease



WC seat with soft closing mechanism



Hidden wall mounting



Ground clearance



Rimfree

GEBERIT SMYLE WC

WITH RIMFREE® FLUSH TECHNOLOGY

RIMFREE

The Rimfree® WC ceramic appliances offer modern standards of hygiene and ease of cleaning. The flush technology with flush guide ensures completely dynamic flushing out and reduces the amount of cleaning involved – even with the partial flush.

SOFT CLOSE

A practical, quiet soft closing mechanism for the WC seat. The lid always closes slowly, even when given an occasional added push. This results in reduced material wear and ensures it can remain in use for longer.



QUICKRELEASE

The WC lid and seat can be removed by pulling them upwards after raising them, making cleaning easier.

GOOD REASONS FOR GEBERIT CERAMICS

1. TURBOFLUSH TECHNOLOGY

Based on a flow-optimized rimless WC ceramic developed by Geberit, the innovative TurboFlush technology enables particularly quiet and thorough flushing. This means you can flush the toilet at any time without annoying noises - even at night. And because the TurboFlush technology flushes the toilet cleaner than a normal flush, the traditional toilet brush is virtually no longer required after using the toilet.

Featured in Geberit ONE and Geberit ACANTO



2. RIMFREE TECHNOLOGY

The rimless Geberit Rimfree® WC ceramics set a contemporary standard for hygiene and ease of care. The flush technology with flush guide ensures complete, dynamic flushing out and reduces cleaning effort - even with a partial flush.

Featured in Geberit ICON and Geberit SMYLE

3. HEIGHT ADJUSTMENT

Thanks to the sophisticated installation technology, the height of the ceramic appliance can be flexibly adjusted without needing to open up or damage the wall - even years after installation.

Featured in Geberit ONE WC



4. KERATECT PROTECTIVE GLAZE

Dirt and water stains barely stand a chance on the virtually non-porous, durable KeraTect® finish, keeping surfaces clean and well-maintained for longer.

Featured in Geberit ONE and ACANTO



5. QUICKRELEASE HINGES

All Geberit WC seats are equipped with a practical QuickRelease function. Simply lift up the seat to remove and replace it from above after cleaning.



6. EFF3 (Easy fastening with Easy Fast Fixing)

EFF3 technology makes installing Geberit ceramics simple, fast, and almost tool-free.

7. SOFT CLOSING MECHANISM

A practical, quiet soft-closing mechanism for the WC seat. The lid always closes slowly, even when given an occasional added push. This results in reduced material wear and ensures it can remain in use for longer.



8. CLEAN DRAIN

The clean drain cover is fitted with a comb insert that stops hair from entering and clogging the trap and drainage system. A magnet holds the cover perfectly in position. The comb insert behind the cover is easy to remove and clean.

Featured in Geberit ONE washbasin

9. MAX STORAGE SPACE

Geberit ONE washbasin cabinets offer more storage space as they do not have a trap cutout.





WASHBASINS

The washbasin is the heart of any bathroom, so be sure to choose a design that enhances your daily self-care routines.



The Geberit ONE washbasins with a horizontal drain combine the highest design requirements with unique functionality.

KeraTect®

GEBERIT ONE WASHBASIN

CLEAN DRAIN

The horizontal washbasin drain has been tailored to the design of the washbasins and is cleverly positioned at the back edge of the bowl. Its innovative technology creates more space in the drawers of the washbasin cabinet. By shifting it to the rear, the drain is not directly in the water jet's line of fire. This prevents water splashes from the drain, leading to a significant reduction in water and limescale residues and the amount of cleaning required. A magnetic attachment holds the cover exactly in position. The cover can be removed with a flick of the wrist in order to clean the attached comb insert. The version with hidden overflow also allows the washbasin to be filled without risk of the water overflowing.



KERATECT

The extra-smooth special glaze KeraTect® prevents dirt and limescale from sticking to the surface. This makes cleaning noticeably easier.



MAX STORAGE SPACE

Geberit ONE washbasin cabinets offer more storage space as they do not have a trap cutout.



GEBERIT SMYLE

WASHBASINS

CAPTIVATING LIGHTWEIGHT APPEARANCE

Ornate lines, harmonious shapes and narrow rims characterize the washbasins of the Geberit Smyle. They provide an exciting contrast to the functional design of the inner basin and the generous shelf surfaces at the rear of the washbasins.





GEBERIT VARIFORM WASHBASINS

THE LATEST DESIGN TRENDS – MADE VERSATILE AND ERGONOMIC

The streamlined rims of Geberit VariForm washbasins are the perfect match for cutting-edge bathroom designs. The tap can be installed as a deck-mounted tap or a wall-mounted tap installation. All Geberit VariForm models feature a generous basin depth to ensure freedom of movement in ergonomic conditions. Made from high-quality sanitary ceramic, the washbasins are durable and are resistant to cracks, as well as easy to care for.



THREE DIFFERENT GEOMETRIES

The Geberit VariForm design concept is based on the three most important basic geometric shapes, Elliptic, Oval and Rectangular using them to create new and different variations every time.



Elliptic



Oval



Rectangle

GEBERIT SIGMA ACTUATOR PLATES

Geberit actuator plates are the defining luxury finishing touch for any bathroom. Combining visual elegance with innovative functions and a range of sumptuous finishes, they are an essential reflection of individual style. It's not just any bathroom, it's your bathroom.



Rectangular, round or touchless elegance. Uncompromising aesthetics and function.


The Geberit actuator plates from the Sigma series offer you a wide range of designs and surface finishes. Whether with organic round or clear geometric flush actuators, all of the plates impress with a perfect finish, high-quality workmanship, and easy, convenient operation.



→
Geberit actuator plates add the final touch to a new bathroom.



**RECTANGULAR
ACTUATOR PLATES**



Geberit Sigma30



Geberit Sigma50



Geberit Sigma60



Geberit Sigma70



**ROUND
ACTUATOR PLATES**



Geberit Sigma01



Geberit Sigma20




Geberit Sigma21



**TOUCHLESS
ACTUATOR PLATES**



Geberit Sigma80



GEBERIT
CERAMIC OVERVIEW
WITH SPECIFICATIONS




1. Test facility in the Geberit laboratory
2. Geberit Acanto WC with TurboFlush
3. Geberit bathroom, designed by Bjerg Arkitektur, Denmark
4. Production of the Geberit WC
5. Heinrich and Klaus Gebert in the 1970s
6. Ceramics production plant, Ekenäs, Finland

WALL-HUNG WC

GEBERIT ONE

SET OF WALL-HUNG WC, WASHDOWN, SHROUDED, TURBOFLUSH WITH WC SEAT



Art. no.	Colour/ surface	B [cm]	H min. [cm]	T [cm]	Quick-release hinges	Soft-closing mechanism
500.202.01.1	White/KeraTect Design cover: bright chrome-plated	37	34.5	54	Yes	Yes

Characteristics

- Wall-hung
- Washdown WC
- Rimless WC ceramic appliance featuring TurboFlush flush technology
- Easy fastening with Easy Fast Fixing (type EFF3)
- Height-adjustable, ceramic upper edge 41–45 cm
- Type 1, full flush volume 7 / 6 / 5 / 4 l, according to EN 997
- Hidden fastening
- WC seat made of Duroplast
- Overlapping WC lid

Technical data


Product material	Vitreous china
------------------	----------------

Scope of delivery

- WC ceramic appliance
- Sound insulation set
- Fastening material
- WC seat
- Connection set

GEBERIT ACANTO

SET OF WALL-HUNG WC, WASHDOWN, SHROUDED, TURBOFLUSH WITH WC SEAT



Art. no.	Colour/ surface	B [cm]	H min. [cm]	T [cm]	Quick-release hinges	Soft-closing mechanism
502.718.00.8	White/KeraTect	36	38.5	53	Yes	Yes

Characteristics

- Wall-hung
- Washdown WC
- Rimless WC ceramic appliance featuring TurboFlush flush technology
- Easy fastening with Easy Fast Fixing (type EFF3)
- Type 1, full flush volume 6 / 5 / 4 l, in accordance with EN 997
- Quick-release hinges, lockable
- Hidden fastening
- WC seat made of Duroplast
- Overlapping WC lid
- WC seat with EasyMount hinges

Technical data


Product material	Vitreous china
------------------	----------------

Scope of delivery

- WC ceramic appliance
- WC seat
- Fastening material

GEBERIT ICON

SET OF WALL-HUNG WC, WASHDOWN, SHROUDED, RIMFREE
WITH WC SEAT



Art. no.	Colour/ surface	B [cm]	H min. [cm]	T [cm]	Quick-release hinges	Soft-closing mechanism
501.664.00.1	White	35.5	37.5	53	Yes	Yes

Characteristics

- Wall-hung
- Washdown WC
- Rimfree
- Easy fastening with Easy Fast Fixing (type EFF3)
- Type 1, full flush volume 6 / 5 / 4 l, in accordance with EN 997
- Quick-release hinges, lockable
- Hidden fastening
- WC seat made of Duroplast
- Overlapping WC lid
- WC seat with EasyMount hinges

Technical data


Product material	Vitreous china
------------------	----------------

Scope of delivery

- WC ceramic appliance
- WC seat
- Fastening material

GEBERIT SMYLE

SQUARE SET OF WALL-HUNG WC, WASHDOWN, SHROUDED, RIMFREE
WITH WC SEAT



Art. no.	Colour/ surface	B [cm]	H min. [cm]	T [cm]	Quick-release hinges	Soft-closing mechanism
500.683.00.2	White	35.5	37.5	54	Yes	Yes

Characteristics

- Wall-hung
- Washdown WC
- Rimfree
- Easy fastening with Easy Fast Fixing (type EFF3)
- Type 1, full flush volume 6 / 5 / 4 l, in accordance with EN 997
- Hidden fastening
- WC seat made of Duroplast
- Overlapping WC lid

Technical data

Product material	Vitreous china
------------------	----------------


Scope of delivery

- WC ceramic appliance
- WC seat
- Fastening material

WASHBASIN

GEBERIT ONE

LAY-ON WASHBASIN, RECTANGULAR



Art. no.	Colour/ surface	Tap hole	Overflow	B2 [cm]	H min. [cm]	T [cm]	T2 [cm]
B / width: 50 cm							
505.023.00.1	Washbasin: white/KeraTect Cover: glossy white	without	without	48	14.5	41	29.4

Characteristics

- Horizontal outlet
- Hidden overflow function
- Actuation using tie rod
- With integrated hair trap
- Hygienic with optimum flow behaviour
- Ground bottom and rear sides

Technical data


Product material	Fine fireclay
------------------	---------------

Scope of delivery

- Washbasin Drain cover with comb insert, magnetic fixing.
- Geberit washbasin connector and trap, space-saving model
- Fastening material

GEBERIT SMYLE

SQUARE WASHBASIN



Art. no.	Colour/ surface	Tap hole	Overflow	B2 [cm]	B3 [cm]	Cabinet width [cm]	H min. [cm]	T [cm]	T1 [cm]	T2 [cm]	T3 [cm]	T4 [cm]
B / width: 60 cm												
500.229.01.1	white	central	visible	56.8	30	58.4	16.5	48	15.5	12.5	33.5	6.5

Characteristics


- Can be installed with a washbasin cabinet

Technical data

Product material	Vitreous china
------------------	----------------

GEBERIT VARIFORM

LAY-ON WASHBASIN, RECTANGULAR



Art. no.	Colour/ surface	Tap hole	Overflow	H min. [cm]	T [cm]
B / width: 55 cm					
500.779.01.2	white	without	without	15.8	40

Characteristics

- Easy to mount, thanks to provided cut-out template
- Can be installed with a washbasin cabinet

Technical data


Product material	Fine fireclay
------------------	---------------

Scope of delivery

- Fastening material
- Template

GEBERIT VARIFORM

LAY-ON WASHBASIN, OVAL



Art. no.	Colour/ surface	Tap hole	Overflow	H min. [cm]	T [cm]
B / width: 55 cm					
500.771.01.2	white	without	without	15.8	40

Characteristics

- Easy to mount, thanks to provided cut-out template
- Can be installed with a washbasin cabinet

Technical data


Product material	Fine fireclay
------------------	---------------

Scope of delivery

- Fastening material
- Template

GEBERIT VARIFORM

LAY-ON WASHBASIN, ELLIPTIC



Art. no.	Colour/ surface	Tap hole	Overflow	H min. [cm]	T [cm]
B / width: 55 cm					
500.774.01.2	white	without	without	15.8	40

Characteristics

- Easy to mount, thanks to provided cut-out template
- Can be installed with a washbasin cabinet

Technical data

Product material	Fine fireclay
------------------	---------------

Scope of delivery

- Fastening material
- Template

**Geberit Plumbing Technology
India Private Limited**
At The LaLiT Ashok
Kumara Krupa High Grounds
Bengaluru 560 001
India
CIN NO.: U41000KA2005PTC036146

T +91 80 3925 1101

sales.in@geberit.com
www.geberit.in

Branches

New Delhi +91 11 2694 0358
Mumbai +91 22 6671 3621

For service support:
contactgeberit@transactglobal.com

Toll Free 1800 102 4323

Timing: 9 a.m. to 6 p.m. (Monday - Saturday)
Closed on Sundays and Public Holidays



Send "Hi" to 99801 22144

OR



Scan for service registration
via WhatsApp